Geological boundary	
exposed	
concealed	
Fault	
exposed	
concealed	
concealed, interpreted from aeromagnetic data	-??-
Fold, showing axial trace and generalized plunge direction	
anticline; exposed	$\xrightarrow{\hspace*{1cm}}$
mesoscale folding	\$
Small-scale fold axial surface, showing strike and dip	40
inclined	42
Small-scale fold axis, showing trend and plunge	
unspecified	→ 53
anticline	→> ¹⁰
syncline	- ←→ 30
S-vergence	$-\omega \rightarrow 60$
Bedding, showing strike and dip	
inclined	47
strike and dip estimated from aerial photography	
5–15°	
15-45°	
trend of bedding	
Palaeocurrent, showing trend and sense of direction	
from megaripples, sense of direction known	$\xrightarrow{\rightarrow}$
from asymmetrical ripple marks, sense of direction known	\rightarrow r \rightarrow
from cross-bedding, sense of direction known	\rightarrow^{\times}
from current lineation, sense of direction not known	⊃ ° c
from clast imbrication, sense of direction not known	> ' c
from asymmetrical ripple marks, sense of direction not known	2 <u>-</u> C
Glacial striae, showing trend and sense of direction of ice movement	
sense of direction not known	
Metamorphic foliation, showing strike and dip	
inclined	50
vertical	+
Cleavage, showing strike and dip	99
inclined	80
vertical	\vdash
Mineral lineation, showing trend and plunge	
inclined	→ 13
Airphoto or satellite image lineament	
unspecified	
Aeromagnetic lineament	